

## Certificate of Analysis

This is to certify that units of the below mentioned lot number were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Acros Organics expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Unless otherwise stated, these products are not intended for dialysis, parenteral or injectable use without further processing. The following are the actual analytical results obtained:

Catalog Number	12714	Quality Test / Release Date	24 November 2017
Lot Number	A0384669	Suggested Retest Date	November 2018
Description	Methyl methacrylate,99%,stabilized		
Country of Origin	GERMANY		
Declaration of Origin	synthetic		

## Origin Comment

Result Name	Specifications	Test Value	
Appearance (Form)	Clear liquid	Clear liquid	
Color scale	=<10 APHA	10 APHA	
Infrared spectrum	Authentic	Authentic	
Refractive index	1.4130 to 1.4160 (20°C, 589 nm)	1.4146 (20°C, 589 nm)	
GC	>=98.5 %	99.9 %	
Water	=<0.05 % (K.F.)	0.002 % (K.F.)	
Acidity	=<0.005 % (as methacrylic acid)	0.0018 % (as methacrylic acid)	
Stabilizer	10 to 110 ppm MEHQ	15 ppm MEHQ	



On de Brock A

L. Van den Broek, QA Manager Issued: 1

Issued: 19 January 2018

Acros Organics ENA23, zone 1, nr 1350, Janssen Pharmaceuticalaan 3a, B-2440 Geel, Belgium Tel +32 14/57.52.11 - Fax +32 14/59.34.34 Internet: <u>http://www.acros.com</u> 1 Reagent Lane, Fair Lawn, NJ 07410,USA Fax 201-796-1329